


FOR BETTER ANIMAL HEALTH



SANGA
VET. CHEM. LTD



Plot 1144 - Kampala Industrial Business
Park. Namanve, Uganda

P. O BOX 75164, Kampala, Uganda.

Email: Info@sangavetchem.com

Tel : +256 200 800010

Website: www.sangavetchem.com



SANGATRAZ 125

CONTROLS TICKS, MANGE MITES, LICE AND SHEEP SCAB

ACTIVE INGREDIENT: Amitraz 12.5%

USES: SANGATRAZ 125 controls all stages of ticks resistant to arsenic, organochlorines, organophosphates, carbamates and synthetic pyrethroids, and is not subject to cross-resistance from other acaricides. It rapidly controls mange mites and lice on cattle, small stock, and dogs.

ANIMALS

Cattle: Controls ticks, kills lice and mange mites

Sheep and goats: Controls ticks and sheep scab. Kills itch mites and goat mange mites.

Dogs: controls ticks, lice and mites

APPLICATION:

SHEEP AND GOATS

- Plunge dip twice within a 7 day period.

CATTLE

- Apply by plunge dip, spray race or hand sprayer.

- Dip weekly

DOGS

- Dip or sponge down

WITHDRAWAL PERIOD

7 days for meat.

AVAILABLE SIZES: 100 mℓ, 200 mℓ, 500 mℓ, 1 ℓ and 5 ℓ



SANGATRAZ 250

CONTROLS TICKS, MANGE MITES, LICE AND SHEEP SCAB. ADDED STRENGTH FOR ECONOMICAL DILUTION RATE

ACTIVE INGREDIENT: Amitraz 25%

USES: SANGATRAZ 250 controls all stages of ticks resistant to arsenic, organochlorines, organophosphates, carbamates and synthetic pyrethroids, and is not subject to cross-resistance from other acaricides. It rapidly controls mange mites and lice on cattle, small stock, and dogs.

ANIMALS

Cattle: Controls ticks, kills lice and mange mites

Sheep and goats: Controls ticks and sheep scab. Kills itch mites and goat mange mites.

Dogs: controls ticks, lice and mange mites

APPLICATION:

SANGATRAZ 250 is double strength for a higher dilution rate making it economical to use.

SHEEP AND GOATS

- Plunge dip twice within a 7 day period.

CATTLE

- Apply by plunge dip, spray race or hand sprayer.

- Dip weekly

DOGS

- Dip or sponge down

WITHDRAWAL PERIOD

7 days for meat.

AVAILABLE SIZES: 100 mℓ, 500 mℓ, 1 ℓ and 5 ℓ



SANGASUPA

CONTROLS TICKS, BITING FLIES AND HOUSEFLIES

ACTIVE INGREDIENTS: Chlorfenvinphos 20.0% m/v, Cymiazol 16.0% m/v and Cypermethrin 2.5% m/v

USES: Controls ticks on cattle - blue ticks (including pyrethroid resistant strains), red-legged tick, bont-legged tick, bont-tick, brown ear tick and controls biting flies and houseflies.

ANIMALS

Cattle: controls blue ticks (including pyrethroid resistant strains), red-legged tick and brown ear tick.

Controls biting flies and houseflies.

APPLICATION:

- Apply by plunge dip, spray race or hand sprayer

- Dip weekly

WITHDRAWAL PERIOD

- 12 hours for milk

- 10 days for meat

AVAILABLE SIZES: 100 mℓ, 500 mℓ, 1 ℓ and 5 ℓ



SANGADELTA

KILLS TICKS, MITES, BITING FLIES AND TSETSE FLIES

ACTIVE INGREDIENTS: Deltamethrin 5.0% m/v and Piperonyl butoxide 25.0% m/v

USES: SANGADELTA is a multipurpose dip which kills ticks on cattle and controls flies, screw worm infestations and ophthalmia. It also controls feather mites on ostriches.

ANIMALS

Cattle: kills ticks, biting and nuisance flies, and tsetse flies. Reduces screw worms and ophthalmia.

Ostriches: controls feather mites.

APPLICATION:

Apply by plunge dip, spray race or hand sprayer

WITHDRAWAL PERIOD

- Nil withdrawal for milk

- 3 days for meat

AVAILABLE SIZES: 100 mℓ and 1 ℓ



SANGAPHOS

BROAD SPECTRUM TICK, LICE AND MITE KILLER

ACTIVE INGREDIENTS: Chlorfenvinphos 30% m/v

USES: SANGAPHOS kills ticks on cattle, sheep, goats, horses and dogs. It also kills lice and mites on sheep and goats.

ANIMALS

- Cattle, horses and dogs: kills ticks.

- Sheep and goats: Kills ticks, lice & mites.

APPLICATION:

- Apply by plunge dip, spray race or hand sprayer.

WITHDRAWAL PERIOD

- Nil withdrawal for milk

- 3 days for meat

AVAILABLE SIZES: 100 mℓ, 500 mℓ, 1 ℓ and 5 ℓ



SANGA
VET. CHEM. LTD

SANGA WORM & FLUKE DRENCH CONTROLS ROUNDWORMS AND LIVER FLUKES



ACTIVE INGREDIENTS: Levamisole Hydrochloride Bp 3,0% m/v, Oxytoclozanide Bp 6,0% m/v and Sodium Propyl Hydroxybenzoate Bp 0,023% m/v

USES: SANGAWORM & FLUKE DRENCH offers rapid control of roundworms and live flukes in cattle, sheep and goats. It is highly convenient for use in lactating cows (zero milk withdrawal). It is safe for use in young and pregnant animals.

ANIMALS

Cattle, sheep and goats: controls roundworms and liver flukes.

APPLICATION:

Dose by mouth with a dosing gun or bottle

WITHDRAWAL PERIOD

- Nil withdrawal for milk
- 7 days for meat

AVAILABLE SIZES: 1 ℓ and 5 ℓ

BANISH WOUND REMEDY



ACTIVE INGREDIENTS: Deltamethrin 0.1% and Piperonyl Butoxide 0.5%

USES: BANISH is a multipurpose remedy that heals wounds and kills screw-worms and ticks. It can be used on all livestock, horses, dogs, wildlife and birds.

ANIMALS

Cattle, sheep, goats, horses, dogs, wildlife and birds.

APPLICATION:

- Apply in, around and above wounds (to diffuse downwards), to prevent screw worm strike and reduce bacterial infection and promote healing.
- Repeat treatment every 4 days until healed.
- Also use following routine procedures such as dehorning and knife castration.

AVAILABLE SIZES: 100 ml



SANGA
VET. CHEM. LTD

